Application No. Applicant(s) MULDER, JAN 10/688,921 Notice of Allowability Art Unit Examiner 2819 Brian Young -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to the application filed 10/21/03. 2. The allowed claim(s) is/are 1-24. 3. The drawings filed on 21 October 2003 are accepted by the Examiner. 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ∏ All b) ☐ Some* c) ☐ None 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: . . Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 5. Notice of Informal Patent Application (PTO-152) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 6. Interview Summary (PTO-413), Paper No./Mail Date 3. Information Disclosure Statements (PTO-1449 or PTO/SB/08), 7.

Examiner's Amendment/Comment Paper No./Mail Date 10/21/03 4. Examiner's Comment Regarding Requirement for Deposit 8. M Examiner's Statement of Reasons for Allowance of Biological Material 9. Other _____.

Application/Control Number: 10/688,921 Page 2

Art Unit: 2819

1. Claims 1-24 are allowed.

- 2. The following is an examiner's statement of reasons for allowance: an analog to digital converter including a reference ladder, a track-and- hold amplifier tracking an input signal with its output signal during a phase and holding a sampled value during, a coarse analog to digital converter having a plurality of coarse amplifiers each inputting a corresponding tap from the reference ladder and the output signal, a fine analog-to-digital converter having a plurality of fine amplifiers inputting corresponding taps from the reference ladder and the output signal, the taps selected based on outputs of the coarse amplifiers, a clock having phases and a circuit responsive to the clock that receives the output signal, the circuit substantially passing the output signal and the corresponding taps to the fine amplifiers during the phase has not been shown in the prior art.
- 3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."
- 4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Hotta et al. disclose a parallel analog-to-digital converter in which a plurality of comparators are divided into a plurality of groups each consisting of a predetermined number of comparators, and outputs of at least these comparators belonging to the same group are added in an analog or digital fashion. Whether or not the result of addition of the outputs of the comparators exceeds a predetermined

Art Unit: 2819

threshold level is decided in an analog or digital fashion so as to determine high-order and low-order bits of a digital output signal of the converter on the basis of the result of decision.

5. United States Patent 6,674,388 to Mulder issued January 6, 2004 is the parent of this application.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brian Young whose telephone number is 571-272-1816. The examiner can normally be reached on Mon-Fri 7:30-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mike Tokar can be reached on 571-272-1812. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

Primary Examiner

Art/Unit 2819
